

SAFETY DATA SHEET

Multi use penetrating oil spray Aerosol

SECTION 1; IDENTIFICATION OF THE SUBSTANCES/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name OB41 pen oil
Product No. Pen400

1.2. Relevant identified uses of the substances or mixture and uses advised against

Identified uses Penetrating Spray

1.3. Details of the supplier of the data sheet

Supplier CID Trading LTD

Unit 10, Peckfield business park

Phoenix avenue

Leeds LS25 4DY

1.4. Emergency telephone number

0113 201 1340

Mon - Fri 08:00-17:00

SECTION 2; HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Flam. Aerosol 1- H222
Human health Asp tox 1 – H304
Environmental hazards Aqu Chron 2 – H411

The full text for all R-Phrases and Hazard statements are displayed in Section 16.

2.2 Label Elements

Label in Accordance with (EC) No. 1272/2008



Signal word` Danger

Hazard statements

H22	!2	Extremely flammable aerosol.
H22	9	Pressurized container: may burst if heated
H30	4	May be fatal if swallowed and enters airways
H41	1	Toxic to aquatic life with long lasting effects
Precautionary Statements		
P10	2	Keep out of reach of children.
P21	0	Keep away from heat/sparks/open flames/hot surfaces – No
		Smoking.
P21	l1	Do not spray on an open flame or other ignition source.
P25	51	Pressurized container: Do not pierce or burn, even after use.
P26	51	Avoid breathing vapour/spray.
P26	52	Do not get in eyes, on skin, or on clothing
P27	1	Use only outdoors or in a well ventilated area
P41	0+412	Protect from sunlight. Do not expose to temperatures
		exceeding 50°C/122°F.

Supplementary precautionary statements

P273	Avoid release to the environment.
P264	Wash contaminated skin thoroughly after handling
P301+310	IF SWALLOWED: immediately call a poison centre, or a
	doctor/physician
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in
	position comfortable for breathing.
P305+351+338	$\label{lem:interpolation} \mbox{IF IN EYES: Rinse cautiously with water for several minutes.}$
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P308+313	If exposed or concerned: Get medical advice/attention.
P410+412	Protect from sunlight. Do not expose to temperatures
	exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local

Supplement label information

2.3. Other hazards

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not pierce or burn even after use. Do not spray on naked flame or any incandescent material – NO SMOKING.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Regulations.

3.2 Mixtures

PETROLEUM GASES LIQUIFIED		40-
60%		
CAS- No.: 68476-85-7	EC No.: 270-704-2	
Classification (EC 1272/2008)		
Flam. Gas 1 – H220		
DISTILLATES (PETROLEUM), HYDRO	40-60%	
CAS- No.: 64742-47-8	EC No.: 265-149-8	
Classification (EC 1272/2008)		
EUH066		
Asp Tox 1 – H304		
Kerosene (petroleum), hydro desu	10-20%	

CAS-No: 64742-81-0 EC No: 265-156-6 Distillates (petroleum), hydrotreated light naphthenic

Asp. Tox. 1, H304 Aquat Chron 2, H411

The full text for all R-Phrases and hazard statements are displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

DO NOT induce vomiting. Rinse mouth with water. Get prompt medical attention.

Skin contact

Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Extinguishing media

Fire can be extinguished using: foam; carbon dioxide; dry powder or other inert material. Do not use high pressure water jet because this may spread the fire.

5.2 Special hazards arising from the substance or mixture

Unusual fire & Explosion hazards.

Aerosol cans may explode in fire.

Carbon Oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to a safe area. Beware of vapours accumulating in low areas. For personal protection see Section 8.

6.2 Environmental precautions

Discharge into the environment must be avoided. Do not allow to enter drains.

6.3 Methods and material for containment and cleaning up

Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Let evaporate. Keep out of confined spaces because of explosion risk. If leakage cannot be stopped, evacuate area.

6.4 Reference to other sections

Wear protective clothing as described in section 8 of this safety data sheet. Avoid inhalation of vapour or mist; avoid contact with skin or eyes.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

7.2. Conditions for safe storage, including any incompatibilities

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C/122°F

7.3 Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

	STD	TWA – 8 Hrs		STEL – 15 Min		Notes
PETROLEUM GASES	WEL	1,000	1,250	1,250	2,180	UK EH40 WEL
LIQUIFIED		ppm	mg/m³	ppm	mg/m3	
DISTILLATES (PETROLEUM),	WEL		800			
HYDROTREATED LIGHT			mg/m³			

WEL = Workplace exposure limit.

8.2 Exposure controls

Protective equipment









local exhaust ventilation.

Engineering measures

Provide adequate general and

Respiratory equipment

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Use respirators and components tested and approved under appropriate government standards such as CEN (EU).

Hand protection

Use protective gloves. These should satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it

Eye protection

Wear splash proof goggles to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

Other protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

(a) Appearance Aerosol.

(b) Odour
 c) Odour Threshold
 data available
 pH
 Melting point/freezing point
 Hydrocarbon solvent
 No data available
 No data available

CID GROUP REV 4.2 SEPTEMBER 2021

(f) Initial boiling point and boiling range 40 (°C)

(g) Flash point Estimated at -35°C (h) Evaporation point No data available (i) Flammability (solid gas) No data available

(j) Upper/lower flammability

Or explosive limitsNo data available(k) Vapour pressureNo data available(I) Vapour densityNo data available

(m) Relative density 0.80 @ 15°C (base only)
(n) Water solubility Not miscible or difficult to mix

(o) Partition coefficient

n-octanol/water

(p) Auto-ignition temperature

(q) Decomposition temperature

(r) Viscosity

No data available

9.2 Other information Can pressure 70psi.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Avoid heat, flames and other sources or ignition.

10.5 Incompatible materials

Materials to avoid

Strong acids, strong oxidising substances and strong alkalis. All sources of ignition.

10.6 Hazardous decomposition products

Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Toxicity

Toxic Conc – LC50 >5,000 ppm/8hr (inh – rat)

Ingestion

Toxic Dose 1 - LD50 >5,000 mg/kg (oral - rat)

Skin contact

Toxic Dose 2 – LD50 >5,000 mg/kg (dermal – rabbit)

Eye contact

No data available.

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Additional information

No data available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

This product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful effect upon the environment.

12.1 Toxicity

Acute Toxicity – Fish LC50 96 hrs >1000mg/l Onchorhynchus (Rainbow Trout)

Acute Toxicity – Aquatic

Invertebrates LC 50 48 hrs >1000mg/l Daphnia Magna

Acute Toxicity – Aquatic

Plants EC50 72 hrs >1000mg/l Scenedesmus subspicatus

12.2 Persistence and degradability

Readily biodegradable

Biodegradation (%) Water 69 - 28 days

12.3 Bio accumulative potential

No data available.

12.4 Mobility in soil

Contamination will evaporate from the surface of water and soils.

12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Empty containers must not be burned because of explosion hazard.

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1 UN Number

 UN No (ADR/RID/ADN)
 1950

 UN No (IMDG)
 1950

 UN NO (ICAO)
 1950

14.2 UN Proper Shipping Name

ADR/IMDG/AND/RID AEROSOLS

IATA Aerosols Flammable

14.3 Transport Hazard Class(es)

ADR/RID/ADN Class 2.1

ADR/RID/ADN Class Class 2: Gases

ADR Label No 2.1 & 6.1 IATA 2.1 **IMDG Class** 2.1 ICAO Class/Division 2.1 **ICAO Subsidiary Risk** 6.1 **ICAO TEC* No** 20GSF Air Class 2.1 **UK Road Class** 2.1 **Transport Labels** L.O



14.4 Packing Group

Not Applicable

14.5 Environmental Hazards

Dangerous for the environment No Marine pollutant No

Other information No supplementary information available

14.6 Special Precautions for user

Overland Transport

Classification Code (ADR): 5F

Special Provisions (ADR): 190,327,344,625

Limited Quantities (ADR): 11
Excepted Quantities (ADR): E0

Packing Instructions (ADR): P207,LP02
Special Packing provisions (ADR): PP87, RR6, L2

Mixed Packing provisions (ADR): MP9
Transport Strategy (ADR): 2
Special provisions for carriage – Packages (ADT) V14

Special Provisions for carriage - Loading, unloading

and handling (ADR): CV9, CV12

Special provisions for carriage – Operation (ADR): S2
Tunnel Restriction Code: D

Transport by Sea

Special Provisions (IMDG): 63,190,277,327,344,959

Limited Quantities (IMDG): SP277
Excepted Quantities (IMDG): E0
Packing Instructions (IMDG): P207,I

Packing Instructions (IMDG):

Special Packing provisions (IMDG):

EmS-No (Fire):

EmS-No (Spillage):

Stowage category (IMDG):

Stowage and Handling (IMDG):

Segregation (IMDG):

MFAG-No:

P207,LP02

PP87,L2

F-D

S-U

None

SW1,SW22

Air Transport

PCA Excepted Quantities (IATA): E0
PCA Limited Quantities (IATA): Y203
PCA Limited Quantity max net quantity (IATA): 30KgG
PCA Packing instructions (IATA): 203

CID GROUP REV 4.2 SEPTEMBER 2021

PCA max net quantity (IATA): 75Kg
CAO packing instructions (IATA): 203
CAO max net quantity (IATA): 150Kg

Special provisions (IATA): A145,A167,A802

ERG Code (IATA): 10L

Inland Waterway Transport

Classification Code (ADN): 5F

Special Provisions (ADN): 190,327,344,625

Limited Quantities (ADN):

Excepted Quantities (ADN):

Equipment required (ADN):

Ventilation (ADN):

Ve01,VE04

Number of blue cones/lights (ADN): 1

Rail Transport

Classification Code (RID): 5F

Special Provisions (RID): 190,327,344,625

Limited Quantities (RID): 1L Excepted Quantities (RID): E0

Packing Instructions (RID): P207,LP02
Special Packing provisions (RID): PP87,RR6,L2

Mixed Packing provisions (RID): MP9
Transport Category (RID): 2
Special Provisions for carriage – Packages (RID): W14

Special Provisions for carriage – Loading, unloading

and handling (RID): CW9, CW12

Colis Express (express parcels) (RID): CE2
Hazard Identification No (RID): 23

14.7 Transport in bulk according to Annex II of MARPOL and the IBC code

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Statutory instruments

The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health.

Approved code of practice.

Classification and labelling of substances and preparations dangerous for supply. Safety data sheets for substances and preparations.

Guidance notes

Workplace exposure limits EH40. Introduction to Local exhaust ventilation HS(G)37. CHIP for everyone HSG(108). EU Legislation

Dangerous substance directive 67/548/EEC. Dangerous preparations directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European parliament and of the council of 18 December 2006 concerning the registration, evaluation, authorisation and restriction of chemicals (REACH), establishing a European Chemicals agency, amending directive 1999/45/EC and repealing council regulation (EEC) No 793/93 and commission regulation (EC) No 1488/94 as well as council directive 76/769/EEC and commission directives 91/155/EEC, 93/67/EEC, 93/105/Ec and 2000/21/EC, including amendments.

15.2 Chemical safety assessment

A chemical safety assessment was not carried out for this product,.

SECTION 16: OTHER INFORMATION

General information

This product should be used as directed. For further information consult the product data sheet or contact technical services.

Information sources

This safety data sheet was compiled using current safety information supplied by distributor raw materials.

Hazard Statements in full

H220 Extremely flammable gasH222 Extremely flammable material

H304 May be fatal if swallowed and enters airways

Asp Tox 2 Aspiration Toxicity Category 2 Aquat Chron 2 Aquatic chronic Category 2

EUH066 Repeated exposure may cause skin dryness or cracking

ISSUE: REV 4.3

REVIEW DATE: SEPTEMBER 2021

DISCLAIMER

The Information provided herein, especially recommendations for the usage and the application of this products, is provided in good faith, and no liability on the part of CID Group is stated or implied. No employee of CID Group has the authority to waive or alter in any way the content of this document.

Due to different materials used, as well as to varying working conditions, production techniques, and the requirements of the end users, all of which are beyond our control, we strongly recommend that thorough and extensive trials are carried out in order to test the suitability of our products with regard to the required processes and applications. This should also include an ageing test which should be applied to all substrates used.

It is also the responsibility of the purchaser and end user of this product to ensure that all appropriate actions necessary for the protection of the environment, and for the health and safety of their employees are observed.

This datasheet replaces all former versions