



**CONSIDER IT DONE.**

**SAFETY DATA SHEET**  
**CleanAirBlue® AdBlue®**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

|                       |                                    |
|-----------------------|------------------------------------|
| Product name          | CleanAirBlue® AdBlue®              |
| Product number        | 4303                               |
| Synonyms; trade names | AdBlue®/ Urea Solution/DEF/ARLA 32 |
| CAS number            | 57-13-6                            |
| EC number             | 200-315-5                          |

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

|                 |                |
|-----------------|----------------|
| Identified uses | Fuel additive. |
|-----------------|----------------|

**1.3. Details of the supplier of the safety data sheet**

|          |  |
|----------|--|
| Supplier | CID Trading LTD,<br>Unit 10<br>Peckfield Business Park,<br>Phoenix Avenue,<br>Leeds,<br>LS25 4DY |
|----------|--|

|                |                      |
|----------------|----------------------|
| Contact person | sales@cidgroup.co.uk |
|----------------|----------------------|

**1.4. Emergency telephone number**

|                     |               |
|---------------------|---------------|
| Emergency telephone | 0113 201 1343 |
|---------------------|---------------|

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

|                       |                |
|-----------------------|----------------|
| Physical hazards      | Not Classified |
| Health hazards        | Not Classified |
| Environmental hazards | Not Classified |

**2.2. Label elements**

|                          |   |
|--------------------------|---|
| EC number                | 200-315-5   |
| Hazard statements        | NC Not Classified   |
| Precautionary statements | P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

**2.3. Other hazards**

**SECTION 3: Composition/information on ingredients**

## CleanAirBlue® AdBlue®

### 3.2. Mixtures

|                       |                      |
|-----------------------|----------------------|
| <b>urea</b>           | <b>30-60%</b>        |
| CAS number: 57-13-6   | EC number: 200-315-5 |
| <b>Classification</b> |                      |
| Not Classified        |                      |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments**      Contains water and preservative

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Remove affected person from source of contamination. Get medical attention if any discomfort continues.   |
| <b>Ingestion</b>    | Do not induce vomiting. Get medical attention if any discomfort continues.  |
| <b>Skin contact</b> | Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.   |
| <b>Eye contact</b>  | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. |

#### 4.2. Most important symptoms and effects, both acute and delayed

**General information**      No additional symptoms or effects are anticipated.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**      Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media**    Use foam, carbon dioxide, dry powder or water fog to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

|                                      |   |
|--------------------------------------|---|
| <b>Specific hazards</b>              | In case of fire, toxic gases may be formed.             |
| <b>Hazardous combustion products</b> | Does not decompose when used and stored as recommended. |

#### 5.3. Advice for firefighters

|  |   |
|--|---|
| <b>Protective actions during firefighting</b>        | Use water spray to reduce vapours.                          |
| <b>Special protective equipment for firefighters</b> | Use air-supplied respirator, gloves and protective goggles. |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**      Provide adequate ventilation.

#### 6.2. Environmental precautions

**Environmental precautions**    Contain spillage with sand, earth or other suitable non-combustible material. Avoid discharge into drains or watercourses or onto the ground.

## CleanAirBlue® AdBlue®

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with skin and eyes. Provide adequate ventilation.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at moderate temperatures in dry, well ventilated area. Store in closed original container at temperatures between 0°C and 30°C. Do not use containers made of the following materials: Copper and its alloys. Galvanised containers.

### 7.3. Specific end use(s)

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### urea

Long-term exposure limit (8-hour TWA): WEL No std.

Short-term exposure limit (15-minute): WEL No std.

WEL = Workplace Exposure Limit

**Ingredient comments** No exposure limits known for ingredient(s).

**DNEL** No DNEL information available.

**PNEC** No PNEC information available.

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate ventilation.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.

**Hand protection** Wear protective gloves. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). To protect hands from chemicals, gloves should comply with European Standard EN374.

**Other skin and body protection** Wear suitable protective clothing as protection against splashing or contamination.

**Hygiene measures** Provide eyewash station. Wash at the end of each work shift and before eating, smoking and using the toilet.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

## SECTION 9: Physical and chemical properties

## CleanAirBlue® AdBlue®

### 9.1. Information on basic physical and chemical properties

|  |                                |
|--|--------------------------------|
| <b>Appearance</b>                      | Clear liquid.                  |
| <b>Colour</b>                          | Colourless.                    |
| <b>Odour</b>                           | Slight.                        |
| <b>pH</b>                              | pH (concentrated solution): 10 |
| <b>Initial boiling point and range</b> | 103°C                          |
| <b>Relative density</b>                | 1.09 @ 20°C                    |
| <b>Solubility(ies)</b>                 | Miscible with water.           |
| <b>Viscosity</b>                       | 1.4 mPa s @ 25°C               |

### 9.2. Other information

|                         |                 |
|-------------------------|-----------------|
| <b>Refractive index</b> | 1.3814 - 1.3843 |
|-------------------------|-----------------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

|                   |   |
|-------------------|---|
| <b>Reactivity</b> | There are no known reactivity hazards associated with this product. |
|-------------------|---|

### 10.2. Chemical stability

|                  |  |
|------------------|--|
| <b>Stability</b> | Stable at normal ambient temperatures and when used as recommended. Product freezes at -11°C. Product starts to hydrolyse at 30°C. |
|------------------|--|

### 10.3. Possibility of hazardous reactions

|   |                               |
|---|-------------------------------|
| <b>Possibility of hazardous reactions</b> | None under normal processing. |
|---|-------------------------------|

### 10.4. Conditions to avoid

|                            |   |
|----------------------------|---|
| <b>Conditions to avoid</b> | Avoid heat, flames and other sources of ignition. |
|----------------------------|---|

### 10.5. Incompatible materials

|                           |   |
|---------------------------|---|
| <b>Materials to avoid</b> | Strong oxidising agents. Nitrites Acids. Alkalis. Calcium hypochlorite. Sodium hypochlorite. Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride. |
|---------------------------|---|

### 10.6. Hazardous decomposition products

|   |         |
|---|---------|
| <b>Hazardous decomposition products</b> | Ammonia |
|---|---------|

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Remove from contaminated area. Lay patient down. Keep warm and rested.   |
| <b>Ingestion</b>    | Although ingestion is not thought to be harmful, the material may lead to discomforting effects by inducing gastrointestinal tract pain leading to nausea and vomiting. In an occupational setting, ingestion of insignificant quantities should not be a cause for concern.                     |
| <b>Skin contact</b> | Product can produce inflammation of the skin following prolonged contact or immersion. Skin contact is not thought to have harmful health effects, the material may still produce adverse effects following entry through wounds, lesions or abrasions, where a stinging sensation will be felt. |

## CleanAirBlue® AdBlue®

**Eye contact** Although the material is not classed as an irritant, direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness.

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: >6810 mg/l, Fish

#### 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

#### 12.4. Mobility in soil

**Mobility** No information available.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No information available

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Recycle containers wherever possible. This product is not classified as hazardous waste.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Not applicable.

## CleanAirBlue® AdBlue®

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|                             |   |
|-----------------------------|---|
| <b>National regulations</b> | The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). |
| <b>EU legislation</b>       | Regulation (EC) No 1272/2008 CLP.<br>Regulation (EC) No 1907/2006 REACH.                        |
| <b>Guidance</b>             | Workplace Exposure Limits EH40.   |

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

|                            |  |
|----------------------------|--|
| <b>General information</b> | Only trained personnel should use this material. Since empty containers retain product residue, follow label warnings, even after container is emptied. For further Health and Safety information contact: Health and Safety Officer. Labels should not be removed from containers until they have been cleaned and no product remains within. |
| <b>Revision comments</b>   | Updated company address.   |
| <b>Issued by</b>           | Compliance Department  |
| <b>Revision date</b>       | 16/10/2018   |
| <b>Revision</b>            | 10   |
| <b>Supersedes date</b>     | 19/04/2018   |
| <b>SDS status</b>          | Approved.  |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for his own particular use.

AdBlue® is a registered trademark of the Verband der Automobilindustrie e.V. (VDA)